

Appl. No.: 10/618,935  
 Group Art Unit: 1742  
 Applicants' Amendment After Allowance



### In the Claims:

Please amend claim 1, without prejudice, as shown below in the following complete listing of all claims ever presented. This listing of claims replaces all prior versions, and listings, of the claims in the instant application:






**Claim 1 (Currently Amended):** An alkoxyated compound having the following formula I:



wherein each AO group is independently an alkyleneoxy group selected from ethyleneoxy, 1,2-propyleneoxy, 1,2-butylenoxy, and substituted or unsubstituted styryleneoxy groups; n is an integer of from 2 to 100; m is an integer of from 1 to the total number of -OH plus -NH hydrogens in the R group prior to alkoxylation; the sum of m plus p equals the number of -OH plus -NH hydrogens in the R group prior to alkoxylation; and the R group is a group selected from the following:



Y<sup>-</sup> is an anion;



where y is an integer of from 0 to 3, z is an integer of from 0 to 3, provided that the sum of y plus z is 2 or 3.

Appl. No.: 10/618,935  
Group Art Unit: 1742  
Applicants' Amendment After Allowance

Claim 2 (Previously presented): The alkoxyated compound of claim 1 wherein the compound is an alkoxyated triethanolamine.

Claim 3 (Previously presented): The alkoxyated compound of claim 1 wherein the compound of formula I contains from 2 to about 50 alkyleneoxy groups.

Claim 4 (Previously presented): The alkoxyated compound of claim 1 wherein the compound of formula I contains from 2 to about 30 alkyleneoxy groups.

Claim 5 (Previously presented): The alkoxyated compound of claim 2 wherein the alkoxyated triethanolamine contains from 6 to 15 ethyleneoxy groups and from 6 to 15 propyleneoxy groups.

Claim 6 (Previously presented): The alkoxyated triethanolamine of claim 2 which is selected from the group consisting of the following:

POP(6) POE(9) triethanolamine

POP(9) POE(9) triethanolamine

POP(12) POE(9) triethanolamine

POP(15) POE(9) triethanolamine

POP(6) POE(15) triethanolamine

POP(9) POE(15) triethanolamine

POP(12) POE(15) triethanolamine

POP(15) POE(15) triethanolamine

POP(3) POE(6) triethanolamine

POP(6) POE(6) triethanolamine

Appl. No.: 10/618,935  
Group Art Unit: 1742  
Applicants' Amendment After Allowance

POP(9) POE (6) triethanolamine  
POP(12) POE (6) triethanolamine.

Claim 7 (Previously presented): The alkoxylated compound of claim 1 in which the R group has the formula III.

Claim 8 (Previously presented): The alkoxylated compound of claim 7 wherein the R<sup>1</sup> group contains from 1 to 18 carbon atoms and the compound contains from 2 to 20 ethyleneoxy groups, and from 2 to 15 propyleneoxy, butyleneoxy, and/or styryleneoxy groups.

Claim 9 (Previously presented): The alkoxylated compound of claim 1 in which the R group has the formula IV.

Claim 10 (Previously presented): The alkoxylated compound of claim 9 wherein the R<sup>1</sup> group contains from 1 to 20 carbon atoms and the compound contains from 2 to 40 ethyleneoxy groups, and from 2 to 20 propyleneoxy, butyleneoxy, and/or styryleneoxy groups.

Claim 11 (Previously presented): The alkoxylated compound of claim 10 wherein the compound contains from 3 to 25 ethyleneoxy groups, and from 2 to 16 propyleneoxy, butyleneoxy, and/or styryleneoxy groups.

Claim 12 (Previously presented): The alkoxylated compound of claim 1 wherein the R group has the formula V.

Claim 13 (Previously presented): The alkoxylated compound of claim 12 wherein the compound contains from 2 to 40 ethyleneoxy groups, and from 2 to 20 propyleneoxy, butyleneoxy, and/or styryleneoxy groups.

Appl. No.: 10/618,935  
Group Art Unit: 1742  
Applicants' Amendment After Allowance

Claim 14 (Previously presented): The alkoxyated compound of claim 13 wherein the compound contains from 4 to 20 ethyleneoxy groups, and from 4 to 16 propyleneoxy, butyleneoxy, and/or styryleneoxy groups.

Claim 15 (Previously presented): The alkoxyated compound of claim 1 wherein the R group has the formula VI.

Claim 16 (Previously presented): The alkoxyated compound of claim 15 wherein the compound contains from 2 to 60 ethyleneoxy groups, and from 3 to 40 propyleneoxy, butyleneoxy, and/or styryleneoxy groups.

Claim 17 (Previously presented): The alkoxyated compound of claim 16 wherein the compound contains from 4 to 30 ethyleneoxy groups, and from 3 to 20 propyleneoxy, butyleneoxy, and/or styryleneoxy groups.

Claim 18 (Previously presented): The alkoxyated compound of claim 1 wherein the R group has the formula VII or VIII.

Claim 19 (Previously presented): The alkoxyated compound of claim 18 wherein the compound contains from 3 to 60 ethyleneoxy groups, and from 3 to 40 propyleneoxy, butyleneoxy, and/or styryleneoxy groups.

Claim 20 (Previously presented): The alkoxyated compound of claim 1 wherein the R group has the formula IX.

Claim 21 (Previously presented): The alkoxyated compound of claim 20 wherein the compound contains from 4 to 60 ethyleneoxy groups, and from 2 to 40 propyleneoxy, butyleneoxy, and/or styryleneoxy groups.

Appl. No.: 10/618,935  
Group Art Unit: 1742  
Applicants' Amendment After Allowance

Claim 22 (Previously presented): The alkoxyated compound of claim 1 wherein the R group has the formula X.

Claim 23 (Previously presented): The alkoxyated compound of claim 22 wherein the compound contains from 4 to 60 ethyleneoxy groups, and from 4 to 40 propyleneoxy, butyleneoxy, and/or styryleneoxy groups.

Claim 24 (Previously presented): The alkoxyated compound of claim 1 wherein the compound has the formula IA below:



in which EO = ethyleneoxy; PO = propylenenoxy; BO = butyleneoxy; SO = substituted or unsubstituted styryleneoxy; w = 2 to 60; x, y, and z each independently = 0 to 40; provided that the total of w, x, y, and z does not exceed 100; and further provided that x, y, and z are not all 0.

Claim 25 (Previously presented): In an aqueous electrowinning, electroplating, or electroforming electrolyte composition containing at least one metal or metalloid, the improvement wherein the composition contains a mist-suppressing quantity of at least one alkoxyated compound of claim 1.

Claim 26 (Previously presented): The process of claim 25 wherein said mist-suppressing quantity is in the range of from about 2 to about 100 ppm.

Claim 27 (Previously presented): The process of claim 26 wherein said quantity is in the range of from about 5 to about 25 ppm.

Claim 28 (Previously presented): In a solvent extraction process for extracting metals from metal ores using an aqueous leach solution, an extraction reagent dissolved in a

Appl. No.: 10/618,935  
Group Art Unit: 1742  
Applicants' Amendment After Allowance

water-immiscible organic solvent, an electrolyte solution, and an electrowinning step, the improvement wherein the electrolyte solution contains a mist-suppressing quantity of at least one alkoxyated compound of claim 1.

Claim 29 (Previously presented): The process of claim 28 wherein said mist-suppressing quantity is in the range of from about 2 to about 100 ppm.

Claim 30 (Previously presented): The process of claim 29 wherein said quantity is in the range of from about 5 to about 25 ppm.

Claim 31 (Previously presented): In the electroplating of metals on a substrate from an acidic aqueous electrolyte solution containing metal ions, the improvement wherein the electrolyte solution contains a mist-suppressing quantity of at least one alkoxyated compound of claim 1.

Claim 32 (Previously presented): In the electrowinning of metals from an acidic aqueous electrolyte solution containing metal ions, the improvement wherein the electrolyte solution contains a mist-suppressing quantity of at least one alkoxyated compound of claim 1.

Claim 33 (Previously presented): An aqueous electrolyte solution containing:

- A) a metal or metalloid in ionic and/or dispersed metallic form; and
- B) at least one alkoxyated compound of claim 1.

Claim 34 (Previously presented): The aqueous electrolyte solution of claim 33 wherein component A) comprises at least one metal selected from the group consisting of copper, cadmium, chromium, cobalt, gold, indium, iron, lead, nickel, a platinum group metal, silver, tin, and zinc.

Appl. No.: 10/618,935  
Group Art Unit: 1742  
Applicants' Amendment After Allowance

Claim 35 (Previously presented): The aqueous electrolyte solution of claim 34 wherein the solution contains from about 2 to about 100 ppm of component B).

Claim 36 (Previously presented): An aqueous electrolyte solution containing :

- A) a metal or metalloid in ionic or dispersed metallic form; and
- B) at least one alkoxyated compound of claim 24.

Claim 37 (Previously presented): A method of suppressing mist in an electrowinning, electroplating, or electroforming process using a metal-containing electrolyte solution comprising adding to the electrolyte solution a mist-suppressing quantity of at least one alkoxyated compound of claim 1.

Claim 38 (Previously presented): The method of claim 37 wherein the metal in the electrolyte solution is copper ion.

Claim 39 (Previously presented): The method of claim 37 wherein the at least one alkoxyated compound of claim 1 is an alkoxyated triethanolamine.

Claim 40 (Previously presented): A method for extracting a metal from a metal-containing ore comprising the steps of

- I) contacting the metal-containing ore with an aqueous leach solution to extract metal values therefrom;
- II) contacting the aqueous leach solution containing metal values with a water-immiscible organic solvent containing an extraction reagent to obtain a metal-containing organic solvent solution;
- III) separating the metal-containing organic solvent solution from the aqueous leach solution;

Appl. No.: 10/618,935  
Group Art Unit: 1742  
Applicants' Amendment After Allowance

- IV) contacting the metal-containing organic solvent solution with an aqueous acid strip solution;
- V) adding to the resulting metal-containing aqueous acid strip solution a mist-suppressing quantity of at least one alkoxyated compound of claim 1; and
- VI) electrowinning the metal from the aqueous acid strip solution obtained in step V).

Claim 41 (Previously presented): The method of claim 40 wherein in step II) the extraction reagent is at least one oxime extractant.

Claim 42 (Previously presented): The method of claim 40 wherein in step V) the mist-suppressing quantity is in the range of from about 2 to about 100ppm.

Claim 43 (Previously presented): The method of claim 42 wherein said quantity is in the range of from about 2 to about 30 ppm.

Claim 44 (Previously presented): The method of claim 42 wherein said quantity is in the range of from about 5 to about 25 ppm.

Claim 45 (Previously presented): The method of claim 40 wherein the at least one alkoxyated compound of claim 1 is an alkoxyated triethanolamine.

Claim 46 (Previously presented): A method for extracting copper from a copper-containing ore comprising the steps of

- I) forming a copper-pregnant aqueous acid leach solution by contacting a copper-containing ore with an aqueous strong acid to produce a copper-pregnant acid leach solution;



Appl. No.: 10/618,935  
Group Art Unit: 1742  
Applicants' Amendment After Allowance

- II) contacting the resulting copper-pregnant acid leach solution with an oxime extractant in a water-immiscible organic solvent;
- III) separating the resulting copper-pregnant water-immiscible organic solvent from the resulting copper-depleted acid leach solution;
- IV) stripping the copper from the copper-pregnant water-immiscible organic solvent with an aqueous acidic strip solution;
- V) adding to the resulting copper-pregnant aqueous strip solution a mist-suppressing quantity of at least one alkoxyated compound of claim 1; and
- VI) electrowinning the copper from the copper-pregnant aqueous strip solution obtained in step V).

Claim 47 (Previously presented): The method of claim 46 wherein in step V) the mist-suppressing quantity is in range of from about 2 to about 100 ppm.

Claim 48 (Previously presented): The method of claim 47 wherein said quantity is in the range of from about 2 to about 30 ppm.

Claim 49 (Previously presented): The method of claim 47 wherein said quantity is in the range of from about 5 to about 25 ppm.

Claim 50 (Previously presented): The method of claim 45 wherein the at least one alkoxyated compound of claim 1 is an alkoxyated triethanolamine.

Claim 51 (Previously presented): The method of claim 46 wherein in step I) the copper-pregnant acid leach solution is a sulfuric acid leach solution having a pH in the range of from about 0.9 to about 2.0.